

DECLARATION OF PERFORMANCE (DoP)

DoPNo. 2022/A22/01

1. Unique identification code of the product-type:

Quick-fix anchor „BAP“

...

2. Type, batch or serial and lot number or any other element allowing identification of the construction product as required pursuant to Article 275/2013 (VII. 16).

The type and the lot number can be found on the packaging of the product ...

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Area of application	design of fastening systems	
Product identification number (with size code):	BAP Quick-fix anchor 6x45 (9645BAP) BAP Quick-fix anchor 6x60 (9660BAP) BAP Quick-fix anchor 6x80 (9645BAP) BAP Quick-fix anchor r 6x85 (9685BAP) BAP Quick-fix anchor 6x100 (96100BAP) BAP Quick-fix anchor 8X75 (9875BAP) BAP Quick-fix anchor 8X85 (9885BAP) BAP Quick-fix anchor (8X95 8895BAP) BAP Quick-fix anchor (8X115 98115BAP) BAP Quick-fix anchor 8X135 (98135BAP) BAP M10 BAP Quick-fix anchor 10X85 (91085BAP) BAP Quick-fix anchor (10X92 91092BAP) BAP Quick-fix anchor 10X105 (910105BAP) BAP Quick-fix anchor 10X125 (910125BAP) BAP Quick-fix anchor 10X145 (910145BAP) BAP Quick-fix anchor	MSZ EN 24102:2011 MSZ EN 1363-1:2013 EAD 330232-00- 0601:2016

	10X175 (910175BAP) BAP Quick-fix anchor 10X215 (910215BAP) BAP M12 BAP Quick-fix anchor 12X110 (912110BAP) BAP Quick-fix anchor 12X120 (912120BAP) BAP Quick-fix anchor 12X130 (912130BAP) BAP Quick-fix anchor 12X150 (912150BAP) BAP Quick-fix anchor 12X180 (912180BAP) BAP Quick-fix anchor 12X200 (912200BAP) BAP Quick-fix anchor 12X220 (912220BAP) BAP Quick-fix anchor 12X240 (912240BAP) BAP Quick-fix anchor 12X260 (912260BAP) BAP Quick-fix anchor 12X300 (912300BAP)	
--	---	--

...

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 275/2013 (VII. 16) edict:

CELO, Roselló, 7 – Pol.Ind. La Bruguera
08211 Castellar del Vallés, Barcelona, Spanyolország

...

5. System or systems for assessing and verifying the constancy and the performance of construction products:

2+ Systems

...

6. ÉMI Non-Profit Limited Liability Company for Quality Control and Innovation in Building, H-2000 Szentendre, Dózsa György út 26., has issued the National Technical Assessment No. A22 / 2018, according to this document, ÉMI Non-Profit Llc., H-2000 Szentendre, Dózsa György út 26. is a designated body which does:

- the definition of the product type,
- random testing of the product,
- basic inspection of the manufacturing plant and of the factory production control,
- continuous surveillance, inspection and assessment of factory production control performed in the 2+ system and issued the National Technical Assessment of the product under number A22 / 2018.

7. Declared performance

Tensile load capacity (ceiling mounting)		MSZE 24102 MSZ EN 1363-1 MSZ EN 13501-1
Fire resistant usage for 120 minutes (R120) on reinforced concrete	on steel structure: 50N (with nail XHA17)	
C 20/25 Tension Nper [kN]	BAP M6: 0,05 kN BAP M8-M12: 0,1 kN	
Raw material Thickness of the zinc layer Fire class	Galvanized Steel ≥ 7	
Surface treatment, corrosion protection	zinc plating	

The performance of the product defined in points 1. and 2. , suits to the declared performance indicated in point 7.
The manufacturer specified in point 4. is responsible for this declaration of performance.

Date of issue: 16.04.2024.

Signing person in the name and on behalf of the manufacturer:



.....
Angel Copete
Technical Manager
Celo SA




.....
Lukács Ákos
Product Manager
Celo Hungária Kft.