

DECLARATION OF PERFORMANCE (DoP)
DoPNo. 2024/A22/07

1. Unique identification code of the product-type:

Threaded rod

...

2. Type, batch or serial and lot number or any other element allowing identification of the construction product as required pursuant to Article 275/2013 (VII. 16).

The type and the lot number can be found on the packaging of the product ...

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Area of application	design of fastening systems	
Product identification number (with code):	Threaded rod	
	975 M6 (6975)	
	975 M8 (8975)	
	975 M10 (10975)	
	Nut	
	96934	MSZ EN 1363-1
	98934	MSZ EN 13501-1
	910934	MSZE 24102
		DIN 4102-12:1998-11
		EN 13501-2:2019
	Washer	
	969021	
	989021	
9109021		
9129021		

...

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 275/2013 (VII. 16) edict:

CELO, Roselló, 7 – Pol.Ind. La Bruguera
08211 Castellar del Vallés, Barcelona, Spanyolország

...

5. System or systems for assessing and verifying the constancy and the performance of construction products:

2+ Systems

6. VEIKI-VNL Kft. (VEIKI Villamos Nagylaboratóriumok Kft) has issued the Immutability of the parameters of the essential properties of the construction product certificate No. E-0779 / VNL, according to this document, VEIKI-VNL Kft HU - 1158 Budapest, Vasgolyó u. 2-4. is a designated body which does:

- the definition of the product type,
- random testing of the product,
- basic inspection of the manufacturing plant and of the factory production control,

- continuous surveillance, inspection and assessment of factory production control performed in the 2+ system and issued the Immutability of the parameters of the essential properties of the construction product certificat No. E-0779 /VNL

7. Declared performance

Tensile load capacity (ceiling mounting)		[kN]	
Product	<u>On concrete structure:</u>	Non-fire resistant usage	Fire resistant usage for 90 minutes (E90)
M6		-	0,05
M8		4,0	0,1
M10		6,0	0,1
M 12		8,0	0,1

The performance of the product defined in points 1. and 2. , suits to the declared performance indicated in point 7. The manufacturer specified in point 4. is responsible for this declaration of performance.

Date of issue 19.04.2024.

Signing person in the name and on behalf of the manufacturer:



Angel Copete
Technical Manager
Celo SA

CELO Hungária Kft.
2851 Kőnyva, Budai út 1/C
Adószám: 13017453-2-11
EU adószám: HU 13017453
Bank: 10910001-06000005-11280005



Lukács Ákos
Product Manager
Celo Hungária Kft.

